

6th International Ulla Klinger Cup

Date:	01. November 2018 – 04. November 2018
Organizer:	SV Neptun 1910 Aachen e.V.
Venue:	Ulla-Klinger-Halle
Leader of the Competition:	Alexander Neufeld
Participants:	Age group D girls and boys born 2007/2008* Age group C girls and boys born 2005/2006 Age group B girls and boys born 2003/2004 Age group A girls and boys born 2000/2002
Program:	1m-, 3m- springboard, platform and 3m synchronized

Protocol

Female - age group B

1m springboard

Jury:

1. Neufeld, Alexander, SVNA
2. Likhachova, Yulia, UKR
3. Novotna, Hana, CZE

WK-13 1m springboard Girls B**Results**

Diver	Club/Country	Year of birth	Result
1. Deng, Julia	SV Neptun 1910 Aachen e.V.	2003	347.70
2. Krauss, Johanna	Germany - DSV	2005	299.35
3. Dummer, Frieda	Germany - Sachsen	2004	285.25
4. Burton, Katie	Great Britain - Luton Diving Club	2003	280.70
5. Bailo, Kseniia	Ukraine	2005	275.80
6. Pylkaes, Pinja Bettina	Finland - Tiirat	2004	271.40
7. Huljev, Bruna	Croatia	2004	263.55
8. Lingslebe, Greta	Germany - DHfK Leipzig	2004	255.90
9. Gonzalez, Alicia	Espana	2003	253.10
10. Rollinson, Amy	Great Britain - Luton Diving Club	2004	250.30
11. Cripps, Katie	Great Britain - Luton Diving Club	2003	243.95
12. Sloeoeer, Sofia	Finland - Tiirat	2003	238.80
13. Connolly, Grace	Great Britain - Luton Diving Club	2004	234.75
14. Fazi, Mila	Monaco	2003	217.60

Detailed results

Dive	Hght	DD	Judges'	Awards	Sum	Result	Set	Total
1. Deng, Julia, SVNA, 2003								
401A	1	1.8	6.5	7.0	6.5	6.0	7.0	20.00
103B	1	1.7	7.0	6.5	7.0	6.5	8.0	20.50
201B	1	1.6	6.5	7.0	7.5	7.5	7.0	21.50
301B	1	1.7	7.5	7.5	8.0	7.5	7.0	22.50
5132D	1	2.2	6.0	6.0	6.5	5.5	6.5	18.50
403B	1	2.4	6.5	7.0	7.0	7.0	7.0	21.00
105B	1	2.6	7.5	6.5	7.5	6.5	7.5	21.50
5134D	1	2.6	7.5	7.5	7.0	6.5	7.5	22.00
		16.6	6.9	6.9	7.1	6.6	7.2	57.20
2. Krauss, Johanna, Germany - DSV, 2005								
103B	1	1.7	6.5	7.0	6.5	6.5	6.0	19.50
201B	1	1.6	6.5	6.0	6.0	5.5	5.5	17.50
301B	1	1.7	6.5	7.5	6.0	6.0	7.0	19.50
401B	1	1.5	6.0	6.5	6.0	6.0	6.5	18.50
5132D	1	2.2	7.5	6.5	6.0	6.0	6.0	18.50
403B	1	2.4	6.5	7.0	6.0	6.0	6.5	19.00
105B	1	2.6	5.5	6.0	5.5	5.0	6.0	17.00
5134D	1	2.6	7.0	6.0	6.0	5.5	6.0	18.00
		16.3	6.5	6.6	6.0	5.8	6.2	46.80
3. Dummer, Frieda, Germany - Sachsen, 2004								
103B	1	1.7	7.0	7.0	7.0	7.0	6.5	21.00
201B	1	1.6	6.5	6.0	6.0	6.0	6.0	18.00
301B	1	1.7	6.5	7.0	6.5	6.0	6.0	19.00
401B	1	1.5	6.5	6.5	7.0	6.5	5.5	19.50
5132D	1	2.2	6.5	6.5	6.0	6.0	6.5	19.00
203C	1	2.0	4.0	4.0	5.0	4.0	4.5	12.50
403B	1	2.4	6.0	5.5	6.0	5.5	5.5	17.00
105C	1	2.4	7.0	7.5	7.5	6.5	7.0	21.50
		15.5	6.3	6.3	6.4	5.9	5.9	51.60

4. Burton, Katie, GBRL, 2003												
103B	1	1.7	6.5	6.5	6.5	6.5	6.0	19.50	33.15	33.15	33.15	3.
401B	1	1.5	5.5	5.5	6.5	6.0	5.5	17.00	25.50	58.65	58.65	8.
5132D	1	2.2	6.0	5.5	5.5	5.5	6.0	17.00	37.40	96.05	96.05	4.
201B	1	1.6	6.0	6.0	6.0	6.5	7.0	18.50	29.60	125.65	125.65	4.
301B	1	1.7	6.0	7.0	6.0	6.5	6.0	18.50	31.45	157.10	157.10	5.
303B	1	2.4	6.0	5.5	5.0	5.0	5.0	15.50	37.20	194.30	194.30	5.
105C	1	2.4	6.0	6.0	5.5	6.0	5.5	17.50	42.00	236.30	236.30	4.
403B	1	2.4	6.5	6.0	5.5	6.0	6.5	18.50	44.40	280.70	280.70	4.
		15.9	6.1	6.0	5.8	6.0	5.9					
5. Bailo, Kseniia, Ukraine, 2005												
103B	1	1.7	7.0	6.5	6.5	6.5	6.0	19.50	33.15	33.15	33.15	3.
401B	1	1.5	8.0	7.0	7.0	7.0	7.0	21.00	31.50	64.65	64.65	2.
201B	1	1.6	6.5	6.5	7.0	7.5	7.0	20.50	32.80	97.45	97.45	2.
301B	1	1.7	7.0	6.0	7.0	6.5	6.0	19.50	33.15	130.60	130.60	2.
5132D	1	2.2	6.5	5.5	6.0	6.5	4.5	18.00	39.60	170.20	170.20	2.
403B	1	2.4	4.5	5.0	5.0	6.0	5.0	15.00	36.00	206.20	206.20	3.
303C	1	2.1	5.5	4.5	5.5	6.0	5.0	16.00	33.60	239.80	239.80	3.
105C	1	2.4	5.0	5.0	5.0	5.5	4.5	15.00	36.00	275.80	275.80	5.
		15.6	6.3	5.8	6.1	6.4	5.6					
6. Pylkaes, Pinja Bettina, Finland - Tiirat, 2004												
401B	1	1.5	6.5	6.5	6.5	6.0	6.5	19.50	29.25	29.25	29.25	10.
201B	1	1.6	7.0	6.0	6.0	6.0	6.5	18.50	29.60	58.85	58.85	7.
301B	1	1.7	5.5	5.0	4.5	4.5	4.5	14.00	23.80	82.65	82.65	12.
5132D	1	2.2	5.0	4.5	4.5	4.5	4.0	13.50	29.70	112.35	112.35	10.
103B	1	1.7	6.5	6.5	6.5	6.0	6.0	19.00	32.30	144.65	144.65	10.
403B	1	2.4	7.0	6.5	6.0	6.0	6.0	18.50	44.40	189.05	189.05	8.
203B	1	2.3	5.5	5.5	6.0	5.0	5.5	16.50	37.95	227.00	227.00	7.
303B	1	2.4	7.0	6.0	6.0	6.0	6.5	18.50	44.40	271.40	271.40	6.
		15.8	6.3	5.8	5.8	5.5	5.7					
7. Huljev, Bruna, Croatia, 2004												
103B	1	1.7	6.0	6.0	6.0	6.0	5.5	18.00	30.60	30.60	30.60	8.
301B	1	1.7	5.5	5.5	5.5	5.5	5.0	16.50	28.05	58.65	58.65	8.
401B	1	1.5	7.0	6.5	7.0	7.0	7.0	21.00	31.50	90.15	90.15	7.
201B	1	1.6	5.5	5.5	5.5	6.0	6.0	17.00	27.20	117.35	117.35	7.
5211A	1	1.8	7.5	6.5	7.0	6.5	7.0	20.50	36.90	154.25	154.25	6.
403B	1	2.4	6.5	5.5	6.5	7.0	6.0	19.00	45.60	199.85	199.85	4.
203B	1	2.3	4.0	3.5	3.5	3.5	4.0	11.00	25.30	225.15	225.15	8.
105C	1	2.4	6.0	5.5	5.0	5.0	5.5	16.00	38.40	263.55	263.55	7.
		15.4	6.0	5.6	5.8	5.8	5.8					
8. Lingslebe, Greta, DHFK, 2004												
103B	1	1.7	6.0	6.5	6.0	5.5	7.0	18.50	31.45	31.45	31.45	7.
201B	1	1.6	6.5	6.5	6.0	6.0	7.0	19.00	30.40	61.85	61.85	4.
301B	1	1.7	5.5	6.0	6.0	6.0	6.0	18.00	30.60	92.45	92.45	6.
401B	1	1.5	6.5	6.5	6.5	6.0	5.5	19.00	28.50	120.95	120.95	6.
5331D	1	2.2	4.5	5.0	4.0	4.5	5.0	14.00	30.80	151.75	151.75	7.
203C	1	2.0	6.0	6.5	5.5	5.0	6.0	17.50	35.00	186.75	186.75	10.
303C	1	2.1	5.5	6.0	6.0	5.5	6.0	17.50	36.75	223.50	223.50	9.
403B	1	2.4	4.5	4.5	4.0	5.0	4.5	13.50	32.40	255.90	255.90	8.
		15.2	5.6	5.9	5.5	5.4	5.9					
9. Gonzalez, Alicia, Espana, 2003												
103B	1	1.7	6.5	6.5	6.0	6.0	7.0	19.00	32.30	32.30	32.30	6.
401B	1	1.5	6.5	6.5	7.0	6.5	6.0	19.50	29.25	61.55	61.55	5.
201B	1	1.6	5.0	5.5	5.5	5.0	5.5	16.00	25.60	87.15	87.15	9.
301B	1	1.7	5.5	4.5	5.5	5.0	5.0	15.50	26.35	113.50	113.50	8.
5231D	1	2.1	5.5	5.5	5.5	5.5	5.5	16.50	34.65	148.15	148.15	8.
403B	1	2.4	6.5	6.0	6.5	6.0	6.0	18.50	44.40	192.55	192.55	7.
105B	1	2.6	6.0	4.5	4.5	4.5	5.0	14.00	36.40	228.95	228.95	6.
203B	1	2.3	3.5	3.5	3.5	3.0	4.5	10.50	24.15	253.10	253.10	9.
		15.9	5.6	5.3	5.5	5.2	5.6					
10. Rollinson, Amy, GBRL, 2004												
103B	1	1.7	6.0	6.0	5.5	5.0	6.0	17.50	29.75	29.75	29.75	9.
201B	1	1.6	6.5	6.0	6.0	5.5	6.0	18.00	28.80	58.55	58.55	10.
301B	1	1.7	6.0	5.5	5.5	5.5	6.5	17.00	28.90	87.45	87.45	8.
401B	1	1.5	5.5	5.0	5.0	5.0	6.0	15.50	23.25	110.70	110.70	11.
5132D	1	2.2	5.0	4.5	4.0	4.5	5.5	14.00	30.80	141.50	141.50	12.
203B	1	2.3	5.0	5.5	5.5	6.0	5.0	16.00	36.80	178.30	178.30	12.
105C	1	2.4	3.5	4.0	4.0	4.0	4.5	12.00	28.80	207.10	207.10	13.
403B	1	2.4	6.5	6.0	6.0	6.0	6.0	18.00	43.20	250.30	250.30	10.
		15.8	5.5	5.3	5.2	5.2	5.7					
11. Cripps, Katie, GBRL, 2003												
103B	1	1.7	5.5	5.0	5.5	5.5	5.5	16.50	28.05	28.05	28.05	11.
401B	1	1.5	6.0	5.5	6.0	5.5	5.5	17.00	25.50	53.55	53.55	13.
203C	1	2.0	4.0	4.0	4.5	4.5	4.5	13.00	26.00	79.55	79.55	13.
301B	1	1.7	6.0	6.0	6.0	6.0	6.0	18.00	30.60	110.15	110.15	12.
5231D	1	2.1	5.0	5.0	5.0	5.0	4.5	15.00	31.50	141.65	141.65	11.
403B	1	2.4	5.5	5.5	5.0	5.0	6.0	16.00	38.40	180.05	180.05	11.
104B	1	2.3	3.5	4.0	4.5	4.0	4.0	12.00	27.60	207.65	207.65	11.
5132D	1	2.2	5.5	5.0	5.5	5.5	5.5	16.50	36.30	243.95	243.95	11.
		15.9	5.1	5.0	5.3	5.1	5.2					
12. Sloeuer, Sofia, Finland - Tiirat, 2003												
401B	1	1.5	5.0	6.0	6.0	6.5	6.5	18.50	27.75	27.75	27.75	13.
103B	1	1.7	5.0	5.5	5.0	5.5	5.0	15.50	26.35	54.10	54.10	12.
201B	1	1.6	6.0	6.0	6.0	6.0	5.5	18.00	28.80	82.90	82.90	11.
301B	1	1.7	6.0	6.0	5.5	6.0	5.5	17.50	29.75	112.65	112.65	9.
5231D	1	2.1	5.5	5.5	5.0	5.0	5.5	16.00	33.60	146.25	146.25	9.
403B	1	2.4	6.0	5.0	5.5	5.5	6.0	17.00	40.80	187.05	187.05	9.
203B	1	2.3	3.0	2.5	3.0	3.0	4.5	9.00	20.70	207.75	207.75	10.
104B	1	2.3	3.5	4.0	5.0	4.5	5.0	13.50	31.05	238.80	238.80	12.
		15.6	5.0	5.1	5.1	5.3	5.4					

13. Connolly, Grace, GBRL, 2004												
103B	1	1.7	5.5	5.5	5.5	5.0	5.5	16.50	28.05	28.05	28.05	11.
201B	1	1.6	6.5	5.0	6.0	6.0	7.0	18.50	29.60	57.65	57.65	11.
301B	1	1.7	5.5	5.5	5.0	5.0	5.5	16.00	27.20	84.85	84.85	10.
401B	1	1.5	4.5	5.0	5.5	5.5	5.5	16.00	24.00	108.85	108.85	13.
5231D	1	2.1	5.5	4.5	4.0	4.5	5.0	14.00	29.40	138.25	138.25	13.
104B	1	2.3	4.5	4.0	5.0	4.5	4.0	13.00	29.90	168.15	168.15	13.
203B	1	2.3	6.0	5.5	5.5	6.0	5.5	17.00	39.10	207.25	207.25	12.
403C	1	2.2	4.5	4.0	4.0	4.5	3.5	12.50	27.50	234.75	234.75	13.
		15.4	5.3	4.9	5.1	5.1	5.2					
14. Fazi, Mila, Monaco, 2003												
103B	1	1.7	5.5	5.0	5.5	5.0	5.5	16.00	27.20	27.20	27.20	14.
301B	1	1.7	4.5	4.5	5.0	4.5	5.0	14.00	23.80	51.00	51.00	14.
201B	1	1.6	5.5	5.5	5.5	5.5	5.5	16.50	26.40	77.40	77.40	14.
401B	1	1.5	6.0	5.5	5.5	6.0	6.0	17.50	26.25	103.65	103.65	14.
5211A	1	1.8	6.0	5.0	5.5	5.5	6.5	17.00	30.60	134.25	134.25	14.
104B	1	2.3	4.0	3.5	4.0	3.0	2.5	10.50	24.15	158.40	158.40	14.
403C	1	2.2	6.0	5.5	5.5	5.0	5.0	16.00	35.20	193.60	193.60	14.
203C	1	2.0	4.0	3.5	4.0	4.0	4.5	12.00	24.00	217.60	217.60	14.
		14.8	5.2	4.8	5.1	4.8	5.1					

Judges:

- | | |
|----------------------------|-------------------------|
| 1. Melnikov, Anton, RUSM | 2. Schöne, Dorit, DSC |
| 3. Schartner, Johann, SVNA | 4. Novosel, Marina, CRO |
| 5. Axer, Rebekka, TPSK | |

Referee:
Protocol:

Green, Malcom, GBRA
Verse, Guido, SVNA