

6th International Ulla Klinger Cup

Date:	01. November 2018 – 04. November 2018
Organizer:	SV Neptun 1910 Aachen e.V.
Venue:	Ulla-Klinger-Halle
Leader of the Competition:	Alexander Neufeld
Participants:	Age group D girls and boys born 2007/2008* Age group C girls and boys born 2005/2006 Age group B girls and boys born 2003/2004 Age group A girls and boys born 2000/2002
Program:	1m-, 3m- springboard, platform and 3m synchronized

Protocol

Female – age group B

3m springboard

Jury:

1. Neufeld, Alexander, SVNA
2. Likhachova, Yulia, UKR
3. Novotna, Hana, CZE

WK-14 3m springboard Girls B**Results**

Diver	Club/Country	Year of birth	Result
1. Deng, Julia	SV Neptun 1910 Aachen e.V.	2003	348.10
2. Bailo, Kseniia	Ukraine	2005	315.45
3. Krauss, Johanna	Germany - DSV	2005	298.10
4. Pylkaes, Pinja Bettina	Finland - Tiirat	2004	294.30
5. Dummer, Frieda	Germany - Sachsen	2004	294.15
6. Buchner, Anne	Germany - SV Halle	2004	292.55
7. Rollinson, Amy	Great Britain - Luton Diving Club	2004	275.30
8. Huljev, Bruna	Croatia	2004	269.90
9. Burton, Katie	Great Britain - Luton Diving Club	2003	256.35
10. Cripps, Katie	Great Britain - Luton Diving Club	2003	253.85
11. Gonzalez, Alicia	Espana	2003	245.20
12. Connolly, Grace	Great Britain - Luton Diving Club	2004	241.65
13. Fazi, Mila	Monaco	2003	212.30

Detailed results

Dive	Hght	DD	Judges'	Awards	Sum	Result	Set	Total
1. Deng, Julia, SVNA, 2003								
403B	3	2.1	7.0	6.5	6.5	6.5	6.0	19.50
103B	3	1.6	8.0	8.0	8.0	7.5	7.0	23.50
201B	3	1.8	7.0	7.0	7.0	7.5	6.5	21.00
301B	3	1.9	7.5	7.5	7.5	7.5	7.5	22.50
5132D	3	2.1	7.5	7.0	7.0	7.5	7.0	21.50
5152B	3	3.0	7.0	7.0	7.0	7.0	6.0	21.00
107B	3	3.1	4.5	4.5	4.5	5.5	4.0	13.50
205B	3	3.0	4.5	4.5	4.0	4.5	4.0	13.00
		18.6	6.6	6.5	6.4	6.7	6.0	348.10
2. Bailo, Kseniia, Ukraine, 2005								
103B	3	1.6	7.0	7.5	8.0	6.5	6.5	21.00
403B	3	2.1	6.0	6.5	6.0	6.0	6.0	18.00
201B	3	1.8	5.5	6.0	5.0	5.0	5.5	16.00
301B	3	1.9	7.0	7.0	7.0	7.0	6.0	21.00
5132D	3	2.1	6.5	6.5	6.5	5.5	6.5	19.50
105B	3	2.4	6.0	6.5	6.5	5.5	6.0	18.50
405C	3	2.7	6.0	5.5	5.0	5.5	5.0	16.00
5233D	3	2.4	6.5	6.0	7.0	7.0	6.0	19.50
		17.0	6.3	6.4	6.4	6.0	5.9	315.45

3. Krauss, Johanna, Germany - DSV, 2005												
103B	3	1.6	7.0	6.5	6.0	6.0	6.0	18.50	29.60	29.60	29.60	7.
201B	3	1.8	5.5	5.5	5.0	7.0	5.5	16.50	29.70	59.30	59.30	9.
301B	3	1.9	6.5	7.5	6.0	6.5	7.0	20.00	38.00	97.30	97.30	7.
403B	3	2.1	7.0	7.0	7.0	7.5	6.5	21.00	44.10	141.40	141.40	3.
5132D	3	2.1	7.0	6.5	6.5	6.5	7.0	20.00	42.00	183.40	183.40	2.
405C	3	2.7	5.0	5.0	4.0	5.5	5.0	15.00	40.50	223.90	223.90	3.
205C	3	2.8	5.0	4.5	5.0	5.0	4.0	14.50	40.60	264.50	264.50	3.
305C	3	2.8	4.0	4.0	3.5	4.0	4.0	12.00	33.60	298.10	298.10	3.
		17.8	5.9	5.8	5.4	6.0	5.6					
4. Pylkaes, Pinja Bettina, Finland - Tiirat, 2004												
201B	3	1.8	6.0	6.5	6.5	6.0	6.0	18.50	33.30	33.30	33.30	4.
301B	3	1.9	6.5	7.0	7.0	7.0	7.0	21.00	39.90	73.20	73.20	2.
103B	3	1.6	6.0	6.0	6.0	6.0	6.0	18.00	28.80	102.00	102.00	3.
403B	3	2.1	6.0	7.0	6.5	6.0	6.5	19.00	39.90	141.90	141.90	2.
5132D	3	2.1	5.5	5.5	5.5	6.5	6.0	17.00	35.70	177.60	177.60	4.
305C	3	2.8	3.5	3.5	4.0	3.5	4.0	11.00	30.80	208.40	208.40	6.
205C	3	2.8	5.0	5.5	5.0	5.0	6.0	15.50	43.40	251.80	251.80	6.
5134D	3	2.5	5.0	5.5	6.0	6.0	5.5	17.00	42.50	294.30	294.30	4.
		17.6	5.4	5.8	5.8	5.8	5.9					
5. Dummer, Frieda, Germany - Sachsen, 2004												
103B	3	1.6	6.5	7.0	7.0	7.0	6.5	20.50	32.80	32.80	32.80	5.
201B	3	1.8	7.0	6.0	6.5	7.0	6.0	19.50	35.10	67.90	67.90	6.
301B	3	1.9	6.5	7.0	5.0	6.0	6.0	18.50	35.15	103.05	103.05	2.
403B	3	2.1	6.0	6.0	5.5	6.0	5.5	17.50	36.75	139.80	139.80	5.
5132D	3	2.1	6.0	5.5	6.0	6.5	6.0	18.00	37.80	177.60	177.60	4.
405C	3	2.7	5.0	5.0	4.5	5.5	4.5	14.50	39.15	216.75	216.75	5.
107C	3	2.8	4.5	4.5	5.0	4.5	4.0	13.50	37.80	254.55	254.55	5.
5233D	3	2.4	5.5	5.5	6.0	5.5	5.5	16.50	39.60	294.15	294.15	5.
		17.4	5.9	5.8	5.7	6.0	5.5					
6. Buchner, Anne, Germany - SV Halle, 2004												
103B	3	1.6	6.5	7.0	7.0	6.0	6.0	19.50	31.20	31.20	31.20	6.
201B	3	1.8	7.0	7.0	7.0	7.0	6.0	21.00	37.80	69.00	69.00	5.
301B	3	1.9	5.5	5.0	5.0	5.5	5.0	15.50	29.45	98.45	98.45	6.
403B	3	2.1	6.0	6.0	6.0	6.0	5.5	18.00	37.80	136.25	136.25	6.
5132D	3	2.1	7.0	6.5	7.0	6.0	6.0	19.50	40.95	177.20	177.20	6.
5134D	3	2.5	6.0	6.5	6.0	6.0	6.0	18.00	45.00	222.20	222.20	4.
105B	3	2.4	6.0	5.5	6.5	6.0	5.0	17.50	42.00	264.20	264.20	4.
405C	3	2.7	4.0	3.5	3.5	3.5	3.5	10.50	28.35	292.55	292.55	6.
		17.1	6.0	5.9	6.0	5.8	5.4					
7. Rollinson, Amy, GBRL, 2004												
103B	3	1.6	5.5	6.0	5.5	5.5	5.5	16.50	26.40	26.40	26.40	10.
201B	3	1.8	5.5	5.5	6.0	5.5	5.5	16.50	29.70	56.10	56.10	11.
301B	3	1.9	6.0	6.5	6.5	6.0	7.0	19.00	36.10	92.20	92.20	9.
403B	3	2.1	5.5	5.5	6.0	6.0	5.5	17.00	35.70	127.90	127.90	9.
5132D	3	2.1	5.0	5.5	6.0	6.0	5.5	17.00	35.70	163.60	163.60	8.
205C	3	2.8	4.5	5.0	4.0	4.0	5.0	13.50	37.80	201.40	201.40	7.
305C	3	2.8	3.5	3.0	3.5	3.0	3.5	10.00	28.00	229.40	229.40	8.
405C	3	2.7	5.5	5.5	6.0	6.5	5.5	17.00	45.90	275.30	275.30	7.
		17.8	5.1	5.3	5.4	5.3	5.4					
8. Huljev, Bruna, Croatia, 2004												
103B	3	1.6	7.0	5.5	6.0	6.0	6.0	18.00	28.80	28.80	28.80	8.
301B	3	1.9	6.0	6.5	5.5	5.5	6.0	17.50	33.25	62.05	62.05	7.
403B	3	2.1	6.0	6.0	5.0	6.5	6.0	18.00	37.80	99.85	99.85	5.
201B	3	1.8	5.5	6.5	5.5	6.0	6.0	17.50	31.50	131.35	131.35	7.
5211A	3	2.0	4.5	5.5	5.5	5.5	5.5	16.50	33.00	164.35	164.35	7.
405C	3	2.7	4.0	4.5	4.0	5.0	4.0	12.50	33.75	198.10	198.10	8.
205C	3	2.8	4.0	4.0	3.5	3.5	4.0	11.50	32.20	230.30	230.30	7.
105B	3	2.4	5.5	4.5	5.5	5.5	5.5	16.50	39.60	269.90	269.90	8.
		17.3	5.3	5.4	5.1	5.4	5.4					
9. Burton, Katie, GBRL, 2003												
103B	3	1.6	4.0	5.5	4.5	4.5	4.0	13.00	20.80	20.80	20.80	13.
403B	3	2.1	6.0	6.5	6.0	5.5	5.5	17.50	36.75	57.55	57.55	10.
201B	3	1.8	4.5	5.0	4.5	4.5	4.0	13.50	24.30	81.85	81.85	12.
301B	3	1.9	6.0	6.5	6.5	6.0	6.0	18.50	35.15	117.00	117.00	11.
5132D	3	2.1	5.5	6.0	4.5	5.0	4.5	15.00	31.50	148.50	148.50	10.
105B	3	2.4	5.5	6.0	6.0	5.5	5.0	17.00	40.80	189.30	189.30	10.
405C	3	2.7	4.0	3.5	4.0	4.0	3.5	11.50	31.05	220.35	220.35	9.
5233D	3	2.4	5.0	5.0	5.0	5.5	5.0	15.00	36.00	256.35	256.35	9.
		17.0	5.1	5.5	5.1	5.1	4.7					

10. Cripps, Katie, GBRL, 2003												
103B	3	1.6	6.0	5.5	6.0	6.5	6.0	18.00	28.80	28.80	28.80	8.
201B	3	1.8	6.0	6.0	6.5	6.0	6.0	18.00	32.40	61.20	61.20	8.
301B	3	1.9	6.0	6.0	5.0	5.5	5.5	17.00	32.30	93.50	93.50	8.
403B	3	2.1	5.5	5.5	5.5	5.5	5.5	16.50	34.65	128.15	128.15	8.
5132D	3	2.1	5.0	5.0	5.0	5.5	5.0	15.00	31.50	159.65	159.65	9.
105B	3	2.4	5.5	5.0	4.5	4.0	4.0	13.50	32.40	192.05	192.05	9.
405C	3	2.7	3.5	3.0	3.0	3.5	4.0	10.00	27.00	219.05	219.05	10.
5233D	3	2.4	5.0	5.0	5.0	4.5	4.0	14.50	34.80	253.85	253.85	10.
		17.0	5.3	5.1	5.1	5.1	5.0					
11. Gonzalez, Alicia, Espana, 2003												
403B	3	2.1	6.0	5.5	6.5	6.5	6.0	18.50	38.85	38.85	38.85	2.
103B	3	1.6	6.0	6.5	6.5	6.5	6.5	19.50	31.20	70.05	70.05	4.
201B	3	1.8	3.5	3.5	3.5	4.0	3.5	10.50	18.90	88.95	88.95	10.
301B	3	1.9	5.5	5.0	5.5	5.0	5.5	16.00	30.40	119.35	119.35	10.
5231D	3	2.0	4.0	4.5	4.0	5.0	5.0	13.50	27.00	146.35	146.35	11.
5233D	3	2.4	4.5	4.0	4.5	4.5	4.5	13.50	32.40	178.75	178.75	11.
405C	3	2.7	3.0	3.0	2.5	3.5	3.5	9.50	25.65	204.40	204.40	12.
105B	3	2.4	5.5	6.0	6.0	5.0	5.5	17.00	40.80	245.20	245.20	11.
		16.9	4.8	4.8	4.9	5.0	5.0					
12. Connolly, Grace, GBRL, 2004												
103B	3	1.6	5.0	5.0	5.0	5.0	4.5	15.00	24.00	24.00	24.00	12.
201B	3	1.8	5.5	4.5	5.0	5.5	5.5	16.00	28.80	52.80	52.80	13.
301B	3	1.9	5.5	5.5	4.5	5.0	4.5	15.00	28.50	81.30	81.30	13.
5231D	3	2.0	5.5	5.5	5.5	5.5	5.0	16.50	33.00	114.30	114.30	12.
403B	3	2.1	4.0	4.5	4.0	4.5	4.0	12.50	26.25	140.55	140.55	13.
105B	3	2.4	4.5	4.5	4.5	4.5	4.5	13.50	32.40	172.95	172.95	13.
404C	3	2.4	4.0	4.0	5.0	4.5	5.5	13.50	32.40	205.35	205.35	11.
203B	3	2.2	5.5	5.5	5.5	4.5	5.5	16.50	36.30	241.65	241.65	12.
		16.4	4.9	4.9	4.9	4.9	4.9					
13. Fazi, Mila, Monaco, 2003												
103B	3	1.6	5.5	5.0	5.5	5.5	5.5	16.50	26.40	26.40	26.40	10.
403C	3	1.9	5.5	5.5	5.0	4.5	5.0	15.50	29.45	55.85	55.85	12.
201B	3	1.8	5.0	5.5	4.5	5.0	5.0	15.00	27.00	82.85	82.85	11.
301B	3	1.9	5.5	5.5	6.0	5.5	5.5	16.50	31.35	114.20	114.20	13.
5211A	3	2.0	5.0	5.0	5.0	5.5	4.5	15.00	30.00	144.20	144.20	12.
105B	3	2.4	4.0	4.5	4.0	3.5	4.5	12.50	30.00	174.20	174.20	12.
405C	3	2.7	3.0	3.5	2.0	2.0	2.5	7.50	20.25	194.45	194.45	13.
5132D	3	2.1	3.0	3.5	3.0	1.0	2.5	8.50	17.85	212.30	212.30	13.
		16.4	4.6	4.8	4.4	4.1	4.4					

Judges:

- | | |
|-----------------------------|----------------------------|
| 1. Schartner, Johann, SVNA | 2. Taghbostani, Saeid, SUI |
| 3. Neufeld, Alexander, SVNA | 4. Axer, Rebekka, TPSK |
| 5. Borgo, Romuald, FRAN | |

Referee: Schöne, Dorit, DSC
 Protocol: Verse, Guido, SVNA